

Fairway Composite Substrate

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Fairway Composite Substrate

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/14/2014 Revision date: 05/14/2014 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Fairway Composite Substrate
Product form : Mixture
Product code : 9019996
Other means of identification : Composite Substrate

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Plastics extrusion blow molding and injection molding processes.

1.3. Details of the supplier of the safety data sheet

Fairway Architectural Railing Solutions

53 Ebys Chiques Road
Mount Joy, PA 17552
Customer Service: 1-800-598-5245

1.4. Emergency telephone number

Emergency Resource Services
(PERS) 800-633-8253

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Sens. 1 H317
Repr. 2 H361

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Warning

Hazard statements (GHS-US) :

H317 - May cause an allergic skin reaction
H361 - Suspected of damaging fertility or the unborn child

Precautionary statements (GHS-US) :

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P261 - Avoid breathing dust, vapors, fume
P272 - Contaminated work clothing must not be allowed out of the workplace
P280 - Wear eye protection, protective clothing, protective gloves
P302 + P352 - If on skin: Wash with plenty of water/...
P308 + P313 - If exposed or concerned: Get medical advice/attention
P321 - Specific treatment (see first aid instructions on this label)
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P362 + P364 - Take off contaminated clothing and wash it before reuse
P405 - Store locked up
P501 - Dispose of contents/container to licensed waste handling facility

2.3. Other hazards

Other hazards not contributing to the classification :

Risk of thermal burns on contact with molten product.

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

Substance

3.1.

Fairway Composite Substrate

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Not applicable

3.2. Mixture

Name	Product identifier	%
Stannane, methyltris(2-ethylhexyloxycarbonylmethylthio)-	(CAS No) 57583-34-3	0.1 - 1

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : IF INHALED, call a physician immediately. Assure fresh air breathing. Allow the victim to rest.
- First-aid measures after skin contact : IF ON SKIN (or clothing), remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation persists, call a physician.
- First-aid measures after eye contact : IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Obtain medical attention if pain, blinking or redness persist.
- First-aid measures after ingestion : IF SWALLOWED: Do NOT induce vomiting. Immediately rinse mouth and drink at least two glasses of water. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : Harmful in contact with skin. Contact with molten material may cause thermal burns.
- Symptoms/injuries after eye contact : Direct contact with the eyes is likely to be irritating.
- Symptoms/injuries after ingestion : May cause gastrointestinal irritation, nausea, vomiting, and diarrhea if swallowed.
- Chronic symptoms : Skin sensitization. May cause damage to target organs: Kidney and thymus. May have mutagenic effect. May damage the unborn child.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Heating may cause a fire.
- Explosion hazard : Dust may form explosive mixture in air.
- Reactivity : Under fire conditions, may evolve Hydrogen Chloride (HCl), Carbon Oxides (CO, CO₂), and Nitrogen Oxides (NO_x). Thermal decomposition generates : Benzene and aromatic aliphatic hydrocarbons, phosgene.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Evacuate area. Keep upwind. Ventilate area. Avoid dust formation. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8). Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

- Protective equipment : Wear Protective equipment as described in Section 8.
- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

6.2. Environmental precautions

- Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Sweep or shovel spills into appropriate container for disposal.
- Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation. Minimize generation of dust. Store away from other materials.

6.4. Reference to other sections

No additional information available

Fairway Composite Substrate

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Provide appropriate exhaust ventilation at places of dust forming.

7.2. Conditions for safe storage, including any incompatibilities
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : heat sources. Keep container tightly closed.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Stannane, methyltris(2-ethylhexyloxycarbonylmethylthio)- (57583-34-3)	
ACGIH TWA (mg/m ³)	0.1 mg/m ³ mg(Sn)/m ³
ACGIH STEL (mg/m ³)	0.2 mg(Sn)/m ³
OSHA PEL (TWA) (mg/m ³)	0.1 mg/m ³ (Sn)

8.2 Exposure controls

Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas.

Personal protective equipment : Safety glasses. Gloves.



Hand protection : Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Natural rubber ("latex"), Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl.

Eye protection : Wear closed safety glasses.

Skin and body protection : Wear long sleeves.

Respiratory protection : In case of insufficient ventilation which exceed the control parameters, wear NIOSH approved dust eliminating respirator.

Fairway Composite Substrate

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Pellets.
Color	: No data available
Odor	: Very slight plastic odor.
Odor Threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

Fairway Composite Substrate

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

Under fire conditions, may evolve Hydrogen Chloride (HCl), Carbon Oxides (CO, CO₂), and Nitrogen Oxides (NO_x).

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Heating above 250 °C may result in product decomposition and release of hazardous fumes.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Avoid contact with : Strong acids.

10.6. Hazardous decomposition products

Thermal decomposition generates : Hydrogen Chloride. Carbon oxides (CO, CO₂). Benzene and aromatic and aliphatic hydrocarbons. Phosgene. Nitrogen oxides. Sulfur oxides. Organic hydrocarbons.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Stannane, methyltris(2-ethylhexyloxycarbonylmethylthio)- (57583-34-3)

LD50 oral rat : 920 mg/kg (Source: Tin Research Institute, Publication, 1973)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Harmful in contact with skin. Contact with molten material may cause thermal burns.
Symptoms/injuries after eye contact	: Direct contact with the eyes is likely to be irritating.
Symptoms/injuries after ingestion	: May cause gastrointestinal irritation, nausea, vomiting, and diarrhea if swallowed.
Chronic symptoms	: Skin sensitization. May cause damage to target organs: Kidney and thymus. May have mutagenic effect. May damage the unborn child.
Specific target organ toxicity (repeated exposure)	: Not classified
Specific target organ toxicity (single exposure)	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No data available.

12.2. Persistence and degradability

PB Fibrex

Persistence and degradability : The product is not biodegradable.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

Fairway Composite Substrate

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with DOT

Not hazardous for transport

Additional information

Other information : No supplementary information available.

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

PB Fibrex

All chemical substances in this product are listed in the EPA (Environmental Protection Agency) TSCA (Toxic Substances Control Act) Inventory

SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard
-------------------------------------	---------------------------------

15.2. International regulations

CANADA

No additional information available

15.3. US State regulations

California Proposition 65

This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Polyvinyl chloride (9002-86-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

Cellulose (9004-34-6)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Indication of changes : Revision 1.0 - New SDS Created.


Revision date : 05/14/2014

Other information : Author: BAS.

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health : 2

Flammability : 1

Physical : 0

Personal Protection :

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product